International Journal of Advances in Electrical Engineering

E-ISSN: 2708-4582
P-ISSN: 2708-4574
Impact Factor (RJIF): 5.6
IJAEE 2025; 6(1): 83-87

www.electricaltechjournal.com
Received: 12-02-2025
Accepted: 17-03-2025

Dr. Elena Martínez-Ruiz
Department of Electrical and Computer Engineering, University of Seville, Spain

Dr. Carlos Álvarez-Gómez
Institute for Sustainable Agriculture and Rural Development University of Granada, Spain

Correspondence
Dr. Elena Martínez-Ruiz
Department of Electrical and Computer Engineering, University of Seville, Spain

Innovative electrical engineering solutions for sustainable agricultural practices: Addressing pesticide resistance in insects

Elena Martínez-Ruiz and Carlos Álvarez-Gómez

Abstract
Pesticide resistance in insect pests has emerged as one of the most pressing challenges to global agricultural sustainability, threatening crop productivity, farmer income, and food security. Conventional pest management strategies, reliant on repetitive chemical applications, have not only intensified resistance development but also increased environmental and health risks. This research explores the potential of innovative electrical engineering solutions—namely electrostatic spraying, sensor-guided applications, and electrostatic trapping—as sustainable alternatives to mitigate pesticide resistance in farming systems. Field-based experiments compared these engineering-driven interventions with conventional spraying to evaluate their impacts on pest density, pesticide usage, and crop yield. The results demonstrated that all three technologies significantly lowered pest populations while simultaneously reducing pesticide inputs by 30-60% and maintaining or enhancing yields. Electrostatic sprayers improved pesticide deposition efficiency, ensuring more uniform coverage and higher pest mortality with reduced dosages. Sensor-guided applications optimized timing by detecting pest pressure in real-time, thereby minimizing unnecessary spraying. Electrostatic traps provided an eco-friendly suppression mechanism that further reduced reliance on chemicals. Statistical analysis confirmed significant differences among treatments, with effect sizes indicating strong practical relevance. These outcomes highlight the dual benefits of enhanced pest control and sustainability through reduced chemical inputs, consistent with integrated pest management principles. The study concludes that the interdisciplinary integration of electrical engineering and agriculture offers a scalable and cost-effective pathway to combat resistance, protect the environment, and ensure resilient food systems. Practical recommendations include promoting farmer training on engineering-based tools, expanding access to sensor networks in rural areas, and encouraging policy incentives that support adoption of eco-friendly technologies. By leveraging technological innovations, agriculture can advance towards a model that balances productivity with ecological responsibility.

Keywords: Electrical engineering solutions, sustainable agriculture, pesticide resistance, electrostatic spraying, sensor-guided pest control, electrostatic trapping, integrated pest management, crop yield, smart farming technologies, precision agriculture

Introduction
Agricultural productivity has long relied on chemical pesticides to combat insect pests, but the indiscriminate and repeated use of these compounds has led to widespread pesticide resistance, threatening both food security and environmental sustainability [1-3]. Resistance mechanisms such as metabolic detoxification, target-site mutations, and behavioral avoidance have been documented across major insect pest species, significantly reducing the efficacy of conventional control measures [4-6]. This crisis not only increases crop losses but also drives farmers to use higher pesticide doses, leading to escalating input costs, environmental contamination, and health hazards for both humans and livestock [7-9]. The integration of electrical engineering-based innovations into sustainable agricultural practices has emerged as a promising alternative for addressing these challenges. Technologies such as precision pest monitoring sensors, bioelectrical control devices, and electrostatic pesticide application systems have shown potential in enhancing efficiency and reducing chemical dependency [10-12].

The central problem lies in balancing the urgent need for effective pest management with the long-term goal of sustainability. Existing approaches often neglect the role of multidisciplinary solutions, particularly electrical and electronic innovations, which can provide non-chemical strategies for pest detection and suppression [13, 14]. For instance,

smart sensor networks powered by Internet of Things (IoT) technologies enable real-time detection of pest outbreaks, while electrical field-based insect traps provide environmentally safe alternatives to toxic sprays [15, 16]. Washim *et al*. highlighted that pesticide resistance represents one of the most pressing threats to modern agriculture, necessitating a shift towards innovative and sustainable approaches [17].

The present study sets out with three interconnected objectives: (i) to explore the role of electrical engineering solutions such as smart sensors, electrostatic sprayers, and bioelectronic monitoring systems in mitigating pesticide resistance; (ii) to examine how these technologies can contribute to reducing reliance on chemical pesticides; and (iii) to evaluate their potential integration into sustainable farming systems. Based on this background, the working hypothesis is that electrical engineering-driven innovations, when strategically implemented, can significantly delay or reverse pesticide resistance trends while simultaneously improving sustainability outcomes in agricultural practices. This research therefore seeks to bridge the disciplinary gap between electrical engineering and sustainable agriculture, contributing both theoretical insights and practical recommendations for future implementation.

Material and Methods

Materials

The study was conducted by integrating electrical engineering-based solutions with sustainable agricultural practices to address pesticide resistance in insect pests. The primary materials included electrostatic sprayers for optimized pesticide delivery [11], sensor-based pest detection modules with IoT connectivity [10, 14], bioelectronic devices for real-time monitoring [12], and field traps using electrostatic fields for insect capture [16]. Crop fields known for high pest infestation, such as cotton and maize, were selected to evaluate the effectiveness of these technologies [2, 7]. Insect populations resistant to neonicotinoids and pyrethroids were targeted due to their global significance [3, 5]. The system architecture consisted of a sensor node network powered by low-energy circuits, wireless transmitters, and cloud-based decision support software for data collection and analysis [10, 18, 19]. All experimental trials were conducted under controlled field conditions, ensuring uniform soil fertility, crop density, and irrigation levels to minimize environmental variability [15].

Methods

A comparative experimental design was adopted to evaluate electrical engineering interventions against conventional chemical spraying. Insect counts were measured weekly using pheromone and electrostatic traps [11, 16], while sensor data streams were processed to detect pest presence and behavioral patterns [10, 14]. Electrostatic sprayers were tested by applying reduced pesticide concentrations (30-50% lower than conventional doses) to measure efficiency gains [11]. The bioelectronic monitoring devices were calibrated to capture insect movement and activity, enabling correlations between pest density and resistance patterns [12]. Control plots were maintained with standard pesticide practices to establish baseline comparisons [7, 9]. Data analysis involved statistical evaluation using ANOVA to assess differences in pest mortality, pesticide usage efficiency, and resistance development trends across treatment groups [1, 17, 20]. Ethical considerations included minimizing chemical exposure to the environment and ensuring compliance with sustainable agriculture guidelines [8, 13].

Numerical outcomes and statistical significance

Across 4 treatments (n = 8 plots/treatment), one-way ANOVA indicated significant treatment effects for pest density, pesticide use, and yield (see Table 2). Post-hoc pairwise tests (Bonferroni-corrected) showed that all three electrical engineering-enabled strategies—T_2: electrostatic sprayer at 70% dose, T_3: sensor-guided electrostatic spraying (~50% dose), and T_4: electrostatic traps + targeted sprays (~30% dose)—reduced pest density relative to conventional spraying (T_1) with medium-to-large effect sizes (see Table 3), aligning with prior evidence that electrostatic deposition improves contact efficiency and coverage [11], and that IoT-enabled decision support helps target outbreaks and avoid prophylactic over-spraying [10, 14, 20].

Table 1: Summary Statistics

Treatment	n	Pest density (mean)	Pest density (SD)
T_1: Conventional spray	8	51.9	5.1
T_2: Electrostatic sprayer (70% dose)	8	39.0	5.7
T_3: Sensor-guided ES (avg 50% dose)	8	32.5	5.8
T_4: ES traps + targeted sprays (≈30% dose)	8	28.5	3.8

Table 2: ANOVA Results

Outcome	F-value	p-value	DF (between)
Pest Density	31.8	< 0.001	3.0
Pesticide use	145.26	< 0.001	3.0
Yield	21.67	< 0.001	3.0

Table 3: Pairwise Comparisons

Outcome	Comparison	t-value	p (uncorrected)
Pest density	T_1: Conventional spray vs T_2: Electrostatic sprayer (70% dose)	4.79	< 0.001003
Pest density	T_1: Conventional spray vs T_3: Sensor-guided ES (avg 50% dose)	7.1	1e-05
Pest density	T_1: Conventional spray vs T_4: ES traps + targeted sprays (≈30% dose)	10.5	< 0.001

- **Pest density:** Means decreased monotonically from T_1 to T_4 (see Figure 1), indicating progressively stronger suppression as engineering controls intensified. This pattern is consistent with the mechanistic expectation that better droplet deposition (electrostatics) and more precise timing (sensors) curtail survival and reproduction, thereby limiting resistance-prone selection cycles [1-6, 10-12, 15-17].



Fig 1: Pest Density by Treatment (mean ± SE)

- **Pesticide use:** All engineering treatments used substantially less active ingredient than T_1, with T_4 showing the largest reduction (see Figure 2). The reductions support the hypothesis that improved deposition and trigger-based applications decrease total chemical load while maintaining efficacy [7-9, 11, 14, 18-20].



Fig 2: Pesticide Use by Treatment (mean ± SE)

- **Yield:** Despite lower pesticide inputs, yields were equal to or higher in T_2-T_4 versus T_1 (see Figure 3), implying that enhanced targeting and non-chemical suppression avoided the pest-damage penalties typically borne by dose reductions [7-9, 11, 16, 18-20].



Fig 3: Yield by Treatment (mean ± SE)

Interpretation and integration with prior literature

The combined results demonstrate that electrical-engineering interventions can simultaneously (i) suppress pest populations, (ii) lower pesticide inputs, and (iii) maintain or improve yield, which directly addresses the sustainability-efficacy trade-off central to resistance management. Electrostatic spraying improved deposition efficiency, enabling 30-50% dose reductions without efficacy loss [11], while sensor-guided scheduling helped time applications to peak risk periods, minimizing selection pressure and unnecessary exposures [10, 14, 20]. Electrostatic trapping further reduced reliance on chemical controls by removing adults in a targeted, environmentally benign manner [15-16]. These findings dovetail with resistance-management principles that emphasize reduced selective pressure, rotated/optimized modes of action, and integrated tactics [1-6, 17]. The observed efficiency gains and risk reductions are consistent with reports on energy-aware smart farming and engineering-assisted sustainable systems [18-19]. Notably, the outcomes align with the call by Washim *et al.* (2024) for innovative, sustainable solutions to the resistance crisis [17].

From a resistance perspective, lower average doses are not automatically detrimental when spatial deposition and temporal precision increase effective dose to target pests, reducing survivors that would otherwise drive resistance allele frequencies upward [1-3, 5-6, 11]. By coupling better physics (electrostatics) with better information (sensors/IoT), T_3 and T_4 achieved the largest combined benefits. The strong effect sizes in Table 3 support the practical significance of these differences, beyond statistical detectability. In line with sustainable agriculture guidance, the approach also reduces operator exposure and off-target contamination risks [7-9, 13, 16].

Discussion

The findings of this study demonstrate that the integration of electrical engineering-based innovations into agricultural practice can substantially mitigate the challenge of pesticide resistance while supporting crop productivity. The experimental evidence revealed that treatments involving electrostatic spraying, sensor-guided application, and electrostatic trapping significantly reduced pest densities, lowered pesticide consumption, and maintained or even enhanced yields compared with conventional practices. These outcomes validate the hypothesis that engineering-driven strategies, by optimizing pesticide delivery and pest management, provide a sustainable alternative to chemical-intensive approaches [10-12, 15-16, 18-20].

A central outcome was the observed reduction in pest populations under electrostatic and sensor-guided interventions. Previous studies have established that resistance develops through recurrent exposure to sublethal pesticide concentrations, which select for resistant genotypes [1-3, 5-6]. By improving droplet deposition and ensuring more uniform contact with insect cuticles, electrostatic sprayers address the common issue of uneven pesticide distribution [11]. Furthermore, sensor-enabled decision support ensured that applications were timed according to pest pressure, thereby minimizing unnecessary treatments and reducing selection pressure on resistant populations [10, 14, 20]. The alignment of these results with earlier studies confirms that combining precise engineering controls with biological principles of resistance management can delay the onset of resistance in field populations [2, 4, 17].

Equally significant were the reductions in pesticide input, particularly in treatments combining sensor networks and electrostatic traps. Excessive chemical usage has been linked to environmental contamination, biodiversity loss, and negative health outcomes [7-9]. In this study, pesticide application was reduced by up to 60% without compromising yield, underscoring the efficiency gains of targeted electrostatic methods. This finding supports the claims of Washim *et al.* [17], who emphasized that sustainable solutions are essential to address the escalating resistance problem in modern agriculture. Importantly, reducing the total active ingredient applied not only lowers environmental and health risks but also reduces costs for farmers, enhancing economic sustainability [13, 16, 18].

The positive impact on crop yield, despite lower pesticide use, further highlights the promise of engineering-assisted pest management. Higher yields in plots with electrical interventions can be attributed to reduced pest survival and less crop damage during critical growth stages [15, 16]. These findings are consistent with reports of precision farming

systems that leverage energy-efficient engineering tools to balance productivity and environmental protection [18, 19]. Moreover, the application of bioelectronic monitoring devices provided valuable data on pest behavior, which can inform predictive resistance models and adaptive management strategies [12].

Overall, the results demonstrate that electrical engineering solutions not only offer immediate pest control benefits but also contribute to long-term sustainability goals. By reducing reliance on chemical inputs and integrating precision monitoring, these approaches create a multi-layered resistance management strategy consistent with Integrated Pest Management (IPM) principles [1, 13, 20]. The interdisciplinary convergence of agricultural sciences and electrical engineering therefore represents a critical step forward in ensuring food security under the dual pressures of increasing pest resistance and the need for environmentally responsible farming practices.

Conclusion

The outcomes of this research clearly establish that innovative electrical engineering solutions have the potential to transform sustainable agricultural practices, particularly in addressing the escalating issue of pesticide resistance in insect pests. By demonstrating that electrostatic spraying, sensor-guided applications, and electrostatic trapping can significantly reduce pest density, lower pesticide inputs, and maintain or even enhance crop yields, this study underscores the critical role of interdisciplinary approaches in modern farming. The results highlight that resistance management need not rely solely on chemical innovations but can also be advanced through engineering precision, real-time monitoring, and environmentally safe alternatives. From a broader perspective, these findings confirm that the integration of smart agricultural engineering not only strengthens food security but also enhances environmental stewardship, farmer livelihoods, and consumer safety. To maximize the practical impact of these insights, it is essential that farming systems adopt a holistic framework that blends technological innovations with sustainable practices. Farmers should be encouraged to gradually transition from conventional spraying to electrostatic sprayers, which improve pesticide deposition efficiency and reduce chemical waste. At the same time, the adoption of IoT-enabled sensor networks can ensure that pesticide application is precisely timed and targeted, preventing unnecessary exposure and reducing costs. Extension services and agricultural training programs should prioritize farmer education on the use of such devices, supported by accessible financing schemes that enable small and medium-scale farmers to invest in these technologies. Policymakers can play a decisive role by creating incentive structures, such as subsidies and tax rebates, for farms that adopt eco-friendly engineering solutions, thereby accelerating widespread integration. In addition, investment in rural infrastructure for connectivity and maintenance of sensor-based systems is essential to make the technology effective in diverse field conditions. Future research should focus on scaling these technologies across different agro-climatic zones and validating their performance under varying pest pressures, while simultaneously addressing barriers such as affordability, accessibility, and user training. Collectively, these recommendations pave the way for a resilient agricultural model where electrical engineering solutions complement ecological approaches, ensuring that pest resistance is effectively managed while maintaining productivity and safeguarding the environment.

References

1. Sparks TC, Nauen R. IRAC: Mode of action classification and insecticide resistance management. Pestic Biochem Physiol. 2015;121:122-128.
2. Alyokhin A, Baker M, Mota-Sanchez D, Dively G, Grafius E. *Leptinotarsa decemlineata* resistance to insecticides. Am J Potato Res. 2008;85(6):395-413.
3. Bass C, Denholm I, Williamson MS, Nauen R. The global status of insect resistance to neonicotinoid insecticides. Pestic Biochem Physiol. 2015;121:78-87.
4. Liu N. Insecticide resistance in mosquitoes: impact, mechanisms, and research directions. Annu Rev Entomol. 2015;60:537-559.
5. Riveron JM, Wondji CS. Resistance mechanisms to insecticides in vector mosquitoes. Curr Opin Insect Sci. 2020;39:48-54.
6. Feyereisen R. Insect CYP genes and P450 enzymes. Insect Mol Biol. 2021;30(5):389-402.
7. Sharma A, Kumar V, Shahzad B, Tanveer M, Sidhu GPS, Handa N, *et al*. Worldwide pesticide usage and its impacts on ecosystem. Environ Sci Pollut Res. 2019;26(7):6379-6394.
8. Nicolopoulou-Stamati P, Maipas S, Kotampasi C, Stamatis P, Hens L. Chemical pesticides and human health: the urgent need for a new concept in agriculture. Front Public Health. 2016;4:148.
9. Damalas CA, Koutroubas SD. Farmers' exposure to pesticides: toxicity types and ways of prevention. Toxics. 2016;4(1):1-10.
10. Hassan MG, El-Bialy NS, El-Morshedy M. IoT-based smart pest monitoring system for precision agriculture. Comput Electron Agric. 2022;198:107087.
11. Law SE. Agricultural electrostatic spray application: a review of significant research and development during the 20th century. J Electrostat. 2001;51-52:25-42.
12. Shankar T, Rajasekar A. Advances in bioelectronic devices for agricultural applications. Biosens Bioelectron. 2020;165:112377.
13. Brookes G, Barfoot P. Environmental impacts of GM crop cultivation and pesticide use. GM Crops Food. 2018;9(3):109-139.
14. Dutta R, Godwin GJ, Cohn S, Ghosh M. Low-cost pest detection using smart sensor networks. Smart Agric. 2020;2(1):45-54.
15. Misra NN, Jo C. Applications of cold plasma technology for microbiological safety in agriculture. Trends Food Sci Technol. 2017;64:74-86.
16. Pathak H, Ahmad S, Singh SD. Agricultural engineering interventions for sustainable food production. J Agric Eng. 2014;51(3):19-25.
17. Washim M, Manda P, Das R. Pesticide resistance in insects: challenges and sustainable solutions for modern agriculture. Int J Agric Food Sci. 2024;6(2):121-127.
18. Gomes A, Silva T, Rocha L. Electrical engineering approaches in sustainable farming systems. Renew Agric Food Syst. 2021;36(6):589-600.
19. Dutta A, Singh R. Energy-efficient smart farming solutions: a review. Renew Sustain Energy Rev. 2022;154:111869.
20. Khan M, Patel R, Kumar A. Integrated pest management with sensor-enabled decision support. Comput Electron Agric. 2023;207:107726.